

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ntrl Toilet Cleaner Concentrate (Pouch) 1.5L
UFI : UCCV-515S-U00N-XVRM
Product code : BF015-P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Concentrated toilet cleaner

Uses advised against

Restrictions on use : Not for direct application to food stuffs, Not for oral consumption

1.3. Details of the supplier of the safety data sheet

Jangro Ltd
Jangro Ltd (UK): 1A Parklands, 3rd Floor, Lostock, Bolton, BL6 4SD, UK
Jangro Ltd (Europe): 6-9 Trinity Street, Dublin 2, D02 EY47, IRELAND
T UK: +44 (0) 1204 795 955 Dublin: 01 617 7911
enquiries@jangrohq.net

1.4. Emergency telephone number

Emergency number : +44 (0) 1204 795 955 (8am to 5pm)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin and eye irritation. Presents no particular risk to the environment.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP)	: Warning
Hazard statements (CLP)	: H315 - Causes skin irritation. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P264 - Wash hands thoroughly after handling. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)

This mixture is not considered to be persistent, bioaccumulating and toxic (PVB)

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Formic acid (64-18-6)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citric acid	CAS-No.: 5949-29-1 EC-No.: 201-069-1 EC Index-No.: 607-750-00-3 REACH-no: 01-2119457026-42-XXXX	$\geq 10 - < 20$	Eye Irrit. 2, H319 STOT SE 3, H335
Formic acid substance with a Community workplace exposure limit	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174-37-XXXX	$\geq 1 - < 5$	Skin Corr. 1, H314
Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO)	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16-XXXX	$\geq 1 - < 5$	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
C08-10 Alkyl glucoside	CAS-No.: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530-36-XXXX	$\geq 1 - < 5$	Eye Dam. 1, H318

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
L-lactic acid	CAS-No.: 79-33-4 EC-No.: 201-196-2 EC Index-No.: 607-743-00-5 REACH-no: 01-2119474164-39	≥ 1 – < 5	Skin Corr. 1C, H314 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Formic acid	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174-37-XXXX	(2 ≤ C < 10) Skin Irrit. 2; H315 (2 ≤ C < 10) Eye Irrit. 2; H319 (10 ≤ C < 90) Skin Corr. 1B; H314 (90 ≤ C ≤ 100) Skin Corr. 1A; H314
Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO)	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16-XXXX	(5 ≤ C < 9.9) Eye Irrit. 2; H319 (10 ≤ C < 100) Eye Dam. 1; H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause slight temporary irritation.
Symptoms/effects after skin contact	: May cause skin irritation. Redness, itching.
Symptoms/effects after eye contact	: May cause eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Foam.
------------------------------	---------------------

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not flammable.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: Product is not explosive.
Hazardous decomposition products in case of fire	: On heating irritating fumes to eyes or skin may be produced.

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Always wash hands after handling the product.

For non-emergency personnel

Protective equipment : No special requirement . Avoid contact with skin.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.
Measures in case of dust release : Not applicable (aqueous liquid).

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

This product does not present any particular risk for the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Stop leak without risks if possible.
Methods for cleaning up : Wash the spillage site with large amounts of water.
Other information : Small amount of unwanted product may be flushed with water to sewer.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Ensure spraying away from persons.
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes.
Hygiene measures : Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry place. Store in a closed container. Keep cool.

7.3. Specific end use(s)

Cleaner & descaler liquid for washrooms.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Formic acid (64-18-6)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Formic acid
IOEL TWA	9 mg/m ³
	5 ppm

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Formic acid (64-18-6)	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Ireland - Occupational Exposure Limits	
Local name	Formic acid
OEL TWA	9 mg/m ³
	5 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Formic acid
WEL TWA (OEL TWA)	9.6 mg/m ³
	5 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

DNEL and PNEC

Formic acid (64-18-6)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	9.5 mg/m ³
Long-term - local effects, inhalation	9.5 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	3 mg/m ³
Long-term - local effects, inhalation	3 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	2 mg/l
PNEC aqua (marine water)	0.2 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	13.4 mg/kg dwt
PNEC sediment (marine water)	1.34 mg/kg dwt
PNEC (Soil)	
PNEC soil	1.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	7.2 mg/l
Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day
Long-term - local effects, dermal	132 µg/cm ²
Long-term - systemic effects, inhalation	175 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	15 mg/kg bodyweight/day

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)	
Long-term - systemic effects, inhalation	52 mg/m ³
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day
Long-term - local effects, dermal	79 µg/cm ²
PNEC (Water)	
PNEC aqua (freshwater)	0.24 mg/l
PNEC aqua (marine water)	0.024 mg/l
PNEC aqua (intermittent, freshwater)	0.071 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.9168 mg/kg dwt
PNEC sediment (marine water)	0.0917 mg/kg dwt
PNEC (Soil)	
PNEC soil	7.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 g/l
Citric acid (5949-29-1)	
PNEC (Water)	
PNEC aqua (freshwater)	0.44 mg/l
PNEC aqua (marine water)	0.044 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	34.6 mg/kg dwt
PNEC sediment (marine water)	3.46 mg/kg dwt
PNEC (Soil)	
PNEC soil	33.1 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	1000 mg/l
C08-10 Alkyl glucoside (68515-73-1)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	595000 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	420 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	35.7 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	124 mg/m ³
Long-term - systemic effects, dermal	357000 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.176 mg/l
PNEC aqua (marine water)	0.0176 mg/l
PNEC aqua (intermittent, freshwater)	0.27 mg/l

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

C08-10 Alkyl glucoside (68515-73-1)	
PNEC (Sediment)	
PNEC sediment (freshwater)	1516 mg/kg dwt
PNEC sediment (marine water)	0.152 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.654 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	111.11 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	560 mg/l
L-lactic acid (79-33-4)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	no hazard identified
Acute - systemic effects, inhalation	no hazard identified
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	no hazard identified
Acute - systemic effects, oral	no hazard identified
PNEC (Water)	
PNEC aqua (freshwater)	no hazard identified
PNEC aqua (marine water)	no hazard identified
PNEC (Sediment)	
PNEC sediment (freshwater)	no hazard identified
PNEC sediment (marine water)	no hazard identified
PNEC (STP)	
PNEC sewage treatment plant	no hazard identified

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

No special requirement.

Personal protection equipment

Personal protective equipment:

No special requirement . Avoid contact with eyes, skin and clothing.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Avoid contact with eyes. Ensure spraying away from persons

Skin protection

Skin and body protection:

Wear suitable working clothes

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection:

Always wash hands after handling the product. In case of repeated or prolonged contact wear gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Type A	Nitrile rubber (NBR)	2 (> 30 minutes)			EN ISO 374
Reusable gloves, Type A	Nitrile rubber (NBR)	2 (> 30 minutes)	>0.38mm		EN ISO 374

Respiratory protection

Respiratory protection:

Not necessary with sufficient ventilation

Thermal hazards

Thermal hazard protection:

Not required.

Environmental exposure controls

Environmental exposure controls:

No special environmental concerns.

Consumer exposure controls:

The substance is not classified for human health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Appearance	: Liquid.
Odour	: Pleasant.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 2.5 – 3
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.07 – 1.075 @ 20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use. Do not mix with other products.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Store away from heat/moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Formic acid (64-18-6)

LD50 oral rat	730 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 618 - 863
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	7.85 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:

Citric acid (5949-29-1)

LD50 oral	5400 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 4500 - 6400
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

C08-10 Alkyl glucoside (68515-73-1)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

L-lactic acid (79-33-4)	
LD50 oral rat	< 3543 mg/kg bodyweight Female Rat
LD50 oral	< 4936 mg/kg bodyweight Male Rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 7.94 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation	: Causes skin irritation. pH: 2.5 – 3
Serious eye damage/irritation	: Causes serious eye damage. pH: 2.5 – 3
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Formic acid (64-18-6)	
NOAEL (chronic, oral, animal/male, 2 years)	400 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Citric acid (5949-29-1)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: Not classified
------------------------	------------------

Formic acid (64-18-6)	
LOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)	
LOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:

Citric acid (5949-29-1)	
LOAEL (oral, rat, 90 days)	8000 mg/kg bodyweight Animal: rat
NOAEL (oral, rat, 90 days)	4000 mg/kg bodyweight Animal: rat

C08-10 Alkyl glucoside (68515-73-1)	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard	: Not classified
-------------------	------------------

11.2. Information on other hazards

No additional information available

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Formic acid (64-18-6)

LC50 - Fish [1]	130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	365 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1240 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

LC50 - Fish [1]	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	7.4 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'

C08-10 Alkyl glucoside (68515-73-1)

LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

L-lactic acid (79-33-4)

LC50 - Fish [1]	195 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	130 – 750 mg/l Test organisms (species): Daphnia magna
ErC50 algae	> 2800 mg/l (Pseudokirchneriella subcapitata (algae))

12.2. Persistence and degradability

ntrl Toilet Conc Pouch 1.5L

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Formic acid (64-18-6)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citric acid (5949-29-1)	
Persistence and degradability	Readily biodegradable.
C08-10 Alkyl glucoside (68515-73-1)	
Persistence and degradability	Readily biodegradable.
L-lactic acid (79-33-4)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

ntrl Toilet Conc Pouch 1.5L	
Bioaccumulative potential	The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.
Formic acid (64-18-6)	
Bioaccumulative potential	Not potentially bioaccumulable.
Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)	
Bioaccumulative potential	Not expected to Bioaccumulate.
Citric acid (5949-29-1)	
Bioaccumulative potential	Not potentially bioaccumulable.
C08-10 Alkyl glucoside (68515-73-1)	
Bioaccumulative potential	Not potentially bioaccumulable.
L-lactic acid (79-33-4)	
Bioaccumulative potential	Not potentially bioaccumulable.

12.4. Mobility in soil

ntrl Toilet Conc Pouch 1.5L	
Additional information	Soluble in water

12.5. Results of PBT and vPvB assessment

ntrl Toilet Conc Pouch 1.5L	
This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)	
This mixture is not considered to be persistent, bioaccumulating and toxic (PVB)	

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

UK HSE EH40 workplace exposure limits
Regulation (EC) 1907/2006 - REACH (UK amended)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development

ntrl Toilet Conc Pouch 1.5L

Safety Data Sheet

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.